



Kidney Disease: Controlling your Potassium and Phosphate

'This dietary advice sheet provides general information to help you change your diet. If you want more detailed advice or are following other dietary restrictions and need guidance, please ask your doctor to refer you to a registered dietitian'.

Potassium and phosphate are minerals found naturally in foods and are present in the blood. In kidney disease, the amounts of potassium and phosphate in your blood can rise. This can be harmful to your health. The following advice will help you to choose lower potassium and phosphate foods while still following a varied, enjoyable diet. If you need more detailed advice please contact a dietitian.

Foods to limit	Foods to choose
Dairy Products: Condensed and evaporated milks Processed cheese spread e.g. Dairylea, Primula, supermarket own brand cheese spreads Cheese containing nuts, Emmental, Gruyere, Parmesan, Cheddar, reduced-fat Cheddar, Edam, Gouda, Red Leicester	Eggs up to 4 per week 200ml (1/3 pint) milk per day; Yoghurts/fromage frais 120g-150g pot 3-4 per week; Ice cream: 2 scoops (120g) 2-3 per week; Custard: 150ml (1/4 pint) or Milk pudding: 200g (1/2 tin) 2-3 per week Cheese: maximum 180g (6oz) per week (Brie, Camembert, cottage cheese, cream cheese, Feta, goats cheese, Lancashire, Mozzarella, Quark, ricotta, Roquefort, Stilton). Cream, butter, margarine, Crème Fraiche (in moderation)
Meat, Poultry and Fish: Heart, kidney, liver, liver pâté, oxtail, tongue, pheasant, pigeon, tinned meat, ham, sausages Anchovies, fish paste, fish roe, pilchards, sardines, scampi, sprats, swordfish, whitebait Note: Cured, smoked and tinned meats and fish are high in salt. Lentils, Pulses and Meat alternatives Aduki beans, butter beans, pinto beans, soya beans	Bacon, beef, chicken, corned beef (check labels), duck, gammon, lamb, pork, rabbit, turkey, veal, venison. Cod, haddock, halibut, plaice, sole, skate, homemade fish cakes, tinned crab, mackerel, mussels, shrimps, squid, scallops, whelks, herring, kippers, prawns, salmon and tuna (fresh or canned), trout. Quorn, tofu, hummus, boiled lentils Choose canned beans rather than dried: baked beans, black eye beans, broad beans, chickpeas, red kidney beans
Fruit: Avocado, bananas, dates, dried apricots, fresh / dried figs, grapefruit, melon, nectarines, oranges, pomegranates, prunes, raisins, rhubarb, star fruit and sultanas Drain natural juice from tinned fruit. *additional fruit & veg information available	Choose 2 servings of fresh or tinned fruit / day E.g. one serving of fresh fruit is equivalent to: 1 apple / apricot / peach / pear or kiwi or 2 clementines / satsumas / plums or 100g (3.5 oz) raspberries / 8 strawberries or 16 grapes/ 20 cherries /180g (6 oz) blueberries
Vegetables: Do not bake, fry, microwave, roast, pressure cook or steam vegetables. Limit Brussel sprouts, mushrooms, parsnips, spinach, kale Avoid raw vegetables (except 1 small salad per day), sundried tomatoes, tomato puree Do not use water from boiling vegetables to prepare soups, stews gravies, casseroles etc *additional fruit & veg information available	Have 2 portions of suitable boiled vegetables (1 portion = 3-4 tablespoons) or small salad/day: Cabbage, carrots, cauliflower, chickpeas (tinned), French / green beans, mange tout, marrow, mixed vegetables, peas, pumpkin, runner beans, spring greens, swede, sweetcorn, turnip or 2 spears of broccoli Tomatoes – 1 small or 4 cherry tomatoes / day
Potatoes: Jacket potatoes, potato wedges, roast potatoes (including supermarket varieties) & potato croquettes, potato waffles, hash browns. Chip shop and supermarket chips	Choose up to 150 g (5 oz) ie 3 egg-sized boiled potatoes per day ie boiled potatoes, mashed potato, tinned potato. Parboiled roast or parboiled chipped potatoes. Sweet potato (boiled)

Kidney Disease: Controlling your Potassium and Phosphate

Foods to Limit	Foods to Choose
Breads, Rice and Pasta: Breads containing nuts, seeds & dried fruits. Naan bread. Bulgur wheat. Chick pea, potato, rye and soya flour. Self-raising flour. Brown rice, wholemeal pasta. Dumplings, instant/pot noodles, macaroni cheese	Bread e.g. brown, white, ciabatta, pitta, granary bread, bagels, baguettes, croissants, pancakes. Yorkshire pudding, couscous, polenta Plain white rice, basmati, plain pasta. Rice noodles
Breakfast Cereals: Cereals and breakfast/cereal bars containing bran, dried fruit, nuts and seeds, chocolate, coconut e.g. All Bran, Branflakes, Fruit 'n' Fibre, Muesli, Raisin Wheats, Shredded Wheat Fruitful, Sultana Bran, Choco Hoops, Weetabix minis with chocolate, Apricot Wheats, wheat bran	Porridge, Puffed wheat, Rice Krispies, Ricicles, Special K, Shreddies, Sugar Puffs, Coco pops, Cornflakes, Frosties, Honey Loops, Cheerios, Shredded Wheat, Weetabix
Snacks: Some savoury snacks and crisps contain po	otassium chloride as a flavouring. It is advised you ning this. Individual brands and flavours may vary.
Crispbreads, oatcakes, Ryvita. Potato crisp & snacks e.g. Hula Hoops, Quavers, Squares, French Fries, Discos, Twiglets, Wheat Crunchies. Popadoms. Vegetable crisps. Bombay/Oriental mix, Bhajis, Pakoras, nuts & seeds Biscuits:	Breadsticks, butter puffs, cream crackers, rice cakes, corncakes, plain popcorn. Matzos, pretzels, rusks, water biscuits, wholemeal crackers. Corn / maize / rice snacks not containing potassium chloride e.g., cheese puff, tortilla chips
Biscuits containing chocolate, coconut, dried fruit, nuts & seeds, treacle or bran.	Plain biscuits: Digestive, Rich Tea Sweet biscuits: Custard Cream, Ginger Nut, Jam Rings, Nice, Shortbread, wafers, iced biscuits
Cakes, Desserts and Pastries: All cakes, desserts & pastries containing chocolate, coconut, dried fruit, nuts, treacle, bran e.g. currant buns, chocolate éclairs, hot cross buns, bran muffins, Bakewell tart, custard tarts, Danish pastries. Products containing baking powder e.g. scones. Bread pudding	Angel cake, artic roll, cherry cake, choux buns, cream horns, doughnuts, ginger cake, iced buns / fingers, jam tarts, meringues, pavlova* and fruit pie/crumble* (*using fruit from allowance), Jelly, sorbet
Drinks: Instant coffee, Barista coffees e.g. espresso, latte, cappuccino, mocha etc. (including packet mixes). Hot chocolate & cocoa, malted drinks (e.g. Horlicks & Ovaltine). Bovril, Oxo, Marmite Milkshakes & smoothies Most fruit &/or vegetable juices, coconut water High juice squashes, Snapple, Orangina, Dark fizzy drinks (e.g. Cola, Dr Pepper and diet versions). Beer & Lager, cider, sherry, port, Martini, Vermouth, strong ale, stout, wine (including Champagne & sparkling wine)	Tea (including fruit, herbal) Choose up to 1 cup filter coffee a day Instant Coffee alternatives e.g. Camp coffee, Caro, Barley Cup Light coloured fizzy drinks e.g. cherryade, orangeade, ginger beer, lemonade, Fruit juices – cranberry, grape, pineapple Cordials, squashes, Barley water, flavoured water Tonic water Spirits and liqueurs e.g. vodka, rum, gin, whiskey
Miscellaneous: Chocolate and chocolate nut spreads (e.g. Nutella and supermarket own brands) & peanut butter White sauce, cheese sauces, instant sauces. Meat or yeast extracts e.g. Bovril/Oxo/ Marmite Molasses and treacle Salt substitutes e.g. Lo-Salt, Selora & Solo Tomato ketchup, Brown sauce, Most soups and stock cubes. Pot noodles Confectionary:	Garlic, herbs, pepper and spices, curry powder Gravy Granules/powder Cooking oil (e.g. rapeseed), olive oil, Glace cherries, golden syrup, honey, jam, lemon curd, marmalade, sugar & non-sugar sweeteners Mint sauce, tartar sauce & vinegar, pickle Chilli sauce in moderation French dressing, mayonnaise, salad cream Boiled, chewy, foam and jelly sweets, chewing
Confectionary containing dried fruit/nuts Cereal bars, chocolate, fudge, liquorice, marzipan, nougat, peanut brittle, toffee, caramels, carob.	gum, marshmallows, mints, sherbet sweets, plain Turkish Delight (no chocolate or nuts), ice lollies, honeycomb, peppermint.

TRAN